

C语言函数大全(e开头) PDF转换可能丢失图片或格式，建议  
阅读原文

[https://www.100test.com/kao\\_ti2020/135/2021\\_2022\\_C\\_E8\\_AF\\_AD\\_E8\\_A8\\_80\\_E5\\_87\\_BD\\_c97\\_135232.htm](https://www.100test.com/kao_ti2020/135/2021_2022_C_E8_AF_AD_E8_A8_80_E5_87_BD_c97_135232.htm) 函数名: ecvt 功能: 把一个浮点数转换为字符串 用法: char ecvt(double value, int ndigit, int \*decpt, int \*sign). 程序例: #include #include #include int main(void) { char \*string. double value. int dec, sign. int ndig = 10. clrscr(). value = 9.876. string = ecvt(value, ndig, amp.sign). printf("string = %s dec = %d \ sign = %d\n", string, dec, sign). value = -123.45. ndig= 15. string = ecvt(value,ndig,amp.sign). printf("string = %s dec = %d sign = %d\n", string, dec, sign). value = 0.6789e5. /\* scientific notation \*/ ndig = 5. string = ecvt(value,ndig,amp.sign). printf("string = %s dec = %d \ sign = %d\n", string, dec, sign). return 0. } 100Test 下载频道开通，各类考试题目直接下载。详细请访问 [www.100test.com](http://www.100test.com)