(3) PDF

you are a
domain administrator for your windows 2000 network,supporting
computers running windows nt4 workstation and windows 2000
professional.your organization is small and has a single windows
2000 server domain controller.there are five other servers running in
the server room,a wins server,a dhcp server,a web server,a dns server
and a file server.recent security breaches are an issue for your
organization so you want to set up auditing for files and folders on
ntfs partitions.you have set up auditing in the projects folder on the
production server to log all failures fo 0delete subfolders and files.a
failure event has shown up fo 0delete subfolders and files.what had to
be attempted for this audit to occur? a.someone without the proper
access permission tried to view permissions or the file owner for a file
or folder. b.someone without the proper access permission tried to
change the attributes of a file or folder. c.someone without the
proper access permission tried to change permissions for a file or
folder. d.someone without the proper access permission tried to
0delete a file or a folder in a folder. e.someone without the proper
access permission tried to take ownership of a file or folder.
f.someone without the proper access permission tried to 0delete a file
or a folder. windows   during
startup,a windows 2000-based computer initializes and then locates
the boot portion of the hard disk.this is called the preboot

sequence. ntldr loads during system startup and is the last step of the process. after the computer loads ntldr into memory, the boot sequence gathers information about hardware and drivers in prparation for the windows 2000 load phases. the boot sequence uses the following files for a full boot into windows 2000 professional. y- -ffe1aMoO{GFA[

http://www.gzu521.com] y- -ffe1aMoO{GFA a. config.sys b. ntldr c. boot.ini d. ntdetect.com e. ntconfig.sys f. ntcoskrnl.exe 0select the 4 best answers(4   )   windows 2000

    preboot sequence   ntldr

               ntldr   windows 2000

            preboot sequence   windows 2000 professional

    ntldr, boot.ini, bootsect.dos(

    window 9x   dos   ) , ntdetect.com, ntoskrnl.exe

         bcdf lession 1   files used in the windows 2000 boot process file location boot stage ntldr system partition root (c:\) preboot and boot boot.ini system partition root boot bootsect.dos system partition root boot (optional) ntdetect.com system partition root boot ntbootdd.sys system partition root boot (optional) ntoskrnl.exe systemroot\system32 kernel load hal.dll systemroot\system32 kernel load system systemroot\system32\config kernel initialization device drivers (*.sys) systemroot\system32\drivers kernel initialization 100Test