

## JAVA题库:格林模拟试题二(下)(6) PDF转换可能丢失图片或格式 , 建议阅读原文

[https://www.100test.com/kao\\_ti2020/145/2021\\_2022\\_JAVA\\_E9\\_A2\\_98\\_E5\\_BA\\_93\\_c104\\_145526.htm](https://www.100test.com/kao_ti2020/145/2021_2022_JAVA_E9_A2_98_E5_BA_93_c104_145526.htm) question 48)given the following variables  
char c = c.int i = 10.double d = 10.long l = 1.string s = "hello".which of the following will compile without error?1)c=c i.2)s =i.3)i =s.4)c =s.question 49)which of the following will compile without error?1) file f = new file("/", "autoexec.bat").2) datainputstream d = new datainputstream(system.in).3) outputstreamwriter o = new outputstreamwriter(system.out).4) randomaccessfile r = new randomaccessfile("outfile").question 50)given the folowing classes which of the following will compile without error?interface iface{}class cface implements iface{}class base{}public class obref extends base{ public static void main(string argv[]){ obref ob = new obref(). base b = new base(). object o1 = new object(). iface o2 = new cface(). }}1)o1=o2.2)b=ob.3)ob=b.4)o1=b.question 51)given the following code what will be the output?class valhold{ public int i = 10.}public class obparm{public static void main(string argv[]){ obparm o = new obparm(). o.amethod(). } public void amethod(){ int i = 99. valhold v = new valhold(). v.i=30. another(v,i). system.out.print( v.i ). }//end of amethod public void another(valhold v, int i){ i=0. v.i = 20. valhold vh = new valhold(). v = vh. system.out.print(v.i). system.out.print(i). }//end of another}1) 100302) 200303) 2099304) 10020 100Test 下载频道开通 , 各类考试题目直接下载。详细请访问 [www.100test.com](http://www.100test.com)