

JAVA题库:格林模拟试题三 (上) (7) PDF转换可能丢失图片或格式, 建议阅读原文

[https://www.100test.com/kao\\_ti2020/145/2021\\_2022\\_JAVA\\_E9\\_A2\\_98\\_E5\\_BA\\_93\\_c104\\_145640.htm](https://www.100test.com/kao_ti2020/145/2021_2022_JAVA_E9_A2_98_E5_BA_93_c104_145640.htm) question 22) which of the following statements are true? 1) all of the variables in an interface are implicitly static 2) all of the variables in an interface are implicitly final 3) all of the methods in an interface are implicitly abstract 4) a method in an interface can access class level variables question 23) which of the following statements are true? 1) the string class is implemented as a char array, elements are addressed using the stringname[] convention 2) the operator is overloaded for concatenation for the string class 3) strings are a primitive type in java and the stringbuffer is used as the matching wrapper type 4) the size of a string can be retrieved using the length property question 24) which of the following statements are true? 1) a method in an interface must not have a body 2) a class may extend one other class plus at most one interface 3) a class may extends at most one other class plus implement many interfaces 4) an class accesses an interface via the keyword uses question 25) which of the following statements are true? 1) the following statement will produce a result of 1. `system.out.println( -1 >>>2)`. 2) performing an unsigned left shift (3) the following statement will produce a result of zero, `system.out.println(1 >>1)`. 4) all the java integral types are signed numbers question 26) which of the following statements are true? 1) the elements in a java array can only be of primitive types, not objects 2) arrays elements are initialized to default values wherever

they are created using the keyword new<sup>3</sup>) an array may be dynamically resized using the setsize method<sup>4</sup>) you can find out the size of an array using the size method

100Test 下载频道开通，各类考试题目直接下载。详细请访问 [www.100test.com](http://www.100test.com)