

SCJP考试题310-025(第二套)18\_147 PDF转换可能丢失图片或格式，建议阅读原文

[https://www.100test.com/kao\\_ti2020/145/2021\\_2022\\_SCJP\\_E8\\_80\\_83\\_E8\\_AF\\_95\\_c104\\_145657.htm](https://www.100test.com/kao_ti2020/145/2021_2022_SCJP_E8_80_83_E8_AF_95_c104_145657.htm) 这都是考试原题,有心人可以收集收集,会让你收益匪浅!因为这一套较多,所以我分.....将他罗列出来!

310-025 Leading the way in IT testing and certification tools, www.testking.com

Question No: 1 Given:

```
1. public class test {  
2.     public static void main (String args[]) {  
3.         int i = 0xFFFFFFFF;  
4.         int j = ~i;  
5.     }  
6. }  
7. What is the decimal value of j at line 5?  
A. 0  
B. 1  
C. 14  
D. 15  
E. An error at line 3 causes compilation to fail.  
F. An error at line 4 causes compilation to fail.
```

Answer: C

Question No: 2 Given:

```
Integer i = new Integer (42);  
Long l = new Long (42);  
Double d = new Double (42.0);
```

Which two expressions evaluate to True? (Choose Two)

A. (i == 1)  
B. (i == d)  
C. (d == 1)  
D. (i.equals(d))  
E. (d.equals(i))  
F. (i.equals(42))

Answer: D, E

Question No: 3 Exhibit :

```
1. public class test {  
2.     private static int j = 0;  
3.     private static boolean methodB(int k) {  
4.         j = k;  
5.         return true;  
6.     }  
7.     public static void methodA(int i) {  
8.         boolean b;  
9.         b = i;  
10.        b = i;  
11.    }  
12. }  
13. public static void main (String args[]) {  
14.     methodA (0);  
15.     System.out.println(j);  
16. }
```

What is the result?

A. The program prints “0”  
B. The program prints “4”  
C. The program prints “8”  
D. The program prints “12”  
E. The code does not complete.

Answer: B

Question No: 4 Given

```
1. Public class test {  
2.     public static void main (String args[]) {  
3.         System.out.println (6 ^ 3);  
4.     }  
5. }
```

What is the output?

Answer: 5

Question No: 5 Given:

```
1. public class Foo {  
2.     public static void main (String [] args) {  
3.         System.out.println ("Hello");  
4.     }  
5. }
```

StringBuffer a = new StringBuffer ( “ A ” ). 4. StringBuffer b = new  
StringBuffer ( “ B ” ). 5. operate (a,b). 6. system.out.println{a “ , ”  
b}. 7. ) 8. static void operate (StringBuffer x, StringBuffer y) { 9.  
x.append {y}. 10. y = x. 11. ) 12. } What is the result? A. The code  
compiles and prints “ A,B ” . B. The code compiles and prints  
“ A,A ” . C. The code compiles and prints “ B,B ” . D. The code  
compiles and prints “ AB,B ” . E. The code compiles and prints  
“ AB,AB ” . F. The code does not compile because “ ” cannot be  
overloaded for StringBuffer. Answer: D 100Test 下载频道开通，各  
类考试题目直接下载。 详细请访问 [www.100test.com](http://www.100test.com)