

Linux下登录window系统远程桌面 PDF转换可能丢失图片或格式，建议阅读原文

[https://www.100test.com/kao\\_ti2020/220/2021\\_2022\\_Linux\\_E4\\_B8\\_8B\\_E7\\_99\\_c103\\_220884.htm](https://www.100test.com/kao_ti2020/220/2021_2022_Linux_E4_B8_8B_E7_99_c103_220884.htm) 首先到<http://www.rdesktop.org>下载rdesktop 然后#tar zxvf rdesktop-NN-tar.gz#cd rdesktop-NN#cat README#./configure#make . make install#/usr/local/bin/rdesktop 查看用法#ln -s /usr/local/bin/rdesktop /usr/bin/rdesktop 方便使用 可以通过 rdesktop -u username -p password ip:端口 实现自动连接。 想要设置连接后的桌面分辨率可以在连接时加上适当的参数，下边是help信息。 - - - - -

- - - - - [airs@clin003 rdesktop-1.5.0]\$ rdesktop -h  
rdesktop: A Remote Desktop Protocol client. Version 1.5.0.  
Copyright (C) 1999-2005 Matt Chapman. See  
<http://www.rdesktop.org/> for more information. Usage: rdesktop  
[options] server[:port] -u: user name -d: domain -s: shell -c:  
working directory -p: password (- to prompt) -n: client hostname  
-k: keyboard layout on server (en-us, de, sv, etc.) -g: desktop  
geometry (WxH) -f: full-screen mode -b: force bitmap 0updates -L:  
local codepage -A: enable SeamlessRDP mode -B: use BackingStore  
of X-server (if available) -e: disable encryption (French TS) -E:  
disable encryption from client to server -m: do not send motion  
events -C: use private colour map -D: hide window manager  
decorations -K: keep window manager key bindings -S: caption  
button size (single application mode) -T: window title -N: enable  
numlock synchronization -X: embed into another window with a  
given id. -a: connection colour depth -z: enable rdp compression -x:

RDP5 experience (m[odem 28.8], b[roadband], l[an] or hex nr.) -P: use persistent bitmap caching -r: enable specified device redirection (this flag can be repeated) -r comport:COM1=/dev/ttyS0: enable serial redirection of /dev/ttyS0 to COM1 or COM1=/dev/ttyS0,COM2=/dev/ttyS1 -r disk:floppy=/mnt/floppy: enable redirection of /mnt/floppy to floppy share or floppy=/mnt/floppy,cdrom=/mnt/cdrom -r clientname=: Set the client name displayed for redirected disks -r lptport:LPT1=/dev/lp0: enable parallel redirection of /dev/lp0 to LPT1 or LPT1=/dev/lp0,LPT2=/dev/lp1 -r printer:mydeskjet: enable printer redirection or mydeskjet="HP LaserJet IIIP" to enter server driver as well -r sound:[local|off|remote]: enable sound redirection remote would leave sound on server -r clipboard:[off|PRIMARYCLIPBOARD|CLIPBOARD]: enable clipboard redirection. PRIMARYCLIPBOARD looks at both PRIMARY and CLIPBOARD when sending data to server. CLIPBOARD looks at only CLIPBOARD. -0: attach to console -4: use RDP version 4 -5: use RDP version 5 (default)[airs@clin003 rdesktop-1.5.0]\$ 附加些其他参考资料 = = = = = = = = =

= = = = = = = = = from : <http://www.linuxdiyf.com>

内容摘要 您想在Linux系统下远程访问Windows系统，在Windows、UNIX下远程访问Linux系统吗 rdesktop 是UNIX和Linux 系统的一个远程桌面连接软件，它通过MicrosoftWindows NT、Windows 2000 提供的终端服务(Terminal Services)以及WindowsXP 的远程桌面服务(Remote Desktop)，能在Linux系统下远程登录Windows的窗口系统并

使用。如果你想在本地访问远程的Linux 窗口系统，并需运行和显示图形程序，Linux提供了对图形用户界面(GUI)远程访问的广泛支持。 100Test 下载频道开通，各类考试题目直接下载。详细请访问 [www.100test.com](http://www.100test.com)