

在一台机器配置两个listener(Oracle) PDF转换可能丢失图片或格式，建议阅读原文

https://www.100test.com/kao_ti2020/253/2021_2022__E5_9C_A8_E4_B8_80_E5_8F_B0_E6_c102_253880.htm 问题：一台机器同时装两套数据库时（实例名o8161,o8151），无法同时启动两个listener，当启动第二个listener时，显示错误。
\$ lsnrctl startLSNRCTL for IBM/AIX RISC System/6000: Version 8.1.5.0.0 - Production on 14-SEP-00 09:25:17(c) Copyright 1998 Oracle Corporation. All rights reserved.TNS-01106: Listener using listener name LISTENER has already been started\$ oerr tns 110601106, 00000, "Listener using listener name %s has already been started"//
*Cause: Another listener is already listening on one of the ADDRESSES// specified.// *Action: Shutdown the previous listener specified by the listener name// before starting this one. 问题产生原因：两个实例的LISTENER.ORA中IPC协议的KEY是相同，而一个系统中KEY必须是唯一的. 解决办法：修改key的值即可。修改后的文件信息：o8161实例：（没有修改）#

LISTENER.ORA Configuration

File:/oracle/dbs/opstemp/szpcac1/network/admin/listener.ora#

Generated by Oracle configuration tools.LISTENER

```
=(DESCRIPTION_LIST=(DESCRIPTION=(ADDRESS_LIST
=(ADDRESS=(PROTOCOL=IPC)(KEY=
EXTPROC0)))(ADDRESS_LIST=(ADDRESS=(PROTOCOL=
TCP)(HOST=looPBack)(PORT=1521)))(DESCRIPTION
=(PROTOCOL_STACK=(PRESENTATION=GIOP)(SESSION
=RAW))(ADDRESS=(PROTOCOL=TCP)(HOST=
```

```
loopback)(PORT = 2481))))SID_LIST_LISTENER =(SID_LIST
=(SID_DESC =(SID_NAME = PLSExtProc)(ORACLE_HOME =
/oracle)(PROGRAM = extproc))(SID_DESC =(ORACLE_HOME
= /oracle)(SID_NAME = ora8151))) 08151实例：（经过修改）#
```

LISTENER.ORA Configuration

File:/ora815/network/admin/listener.ora# Generated by Oracle Net8

```
AssistantLISTENER =(DESCRIPTION_LIST =(DESCRIPTION
=(ADDRESS_LIST =(ADDRESS = (PROTOCOL = IPC)(KEY =
TESTo815))))(ADDRESS_LIST =(ADDRESS = (PROTOCOL =
TCP)(HOST = loopback)(PORT =
```

```
1526))))))SID_LIST_LISTENER =(SID_LIST =(SID_DESC
=(SID_NAME = ora8151)(ORACLE_HOME =
```

```
/ora815)(PROGRAM = extproc))) 100Test 下载频道开通，各类  
考试题目直接下载。详细请访问 www.100test.com
```