

计算机常用的几种语言：BASIC语言 PDF转换可能丢失图片或格式，建议阅读原文

[https://www.100test.com/kao\\_ti2020/261/2021\\_2022\\_\\_E8\\_AE\\_A1\\_E7\\_AE\\_97\\_E6\\_9C\\_BA\\_E5\\_c67\\_261346.htm](https://www.100test.com/kao_ti2020/261/2021_2022__E8_AE_A1_E7_AE_97_E6_9C_BA_E5_c67_261346.htm) BASIC BASIC is an acronym for Beginners All-purpose Symbolic Instruction Code. BASIC was developed in the early 1960s at Dartmouth College by John Keenly and Thomas Kurtz as a teaching language . It largely remained a teaching language until the introduction of microcomputer systems in the mid-1970s . BASIC was selected as the high-level language for such systems due to its simplicity and "compactness" in memory compared to other high-level languages . The rapid growth of microcomputers stems since the late 1970s has now resulted in BASIC being very likely the most widely used computer language in the world. A timesharing system that improved efficiency and ease of use demanded an interactive language-BASIC-that would allow each user to type programs into a terminal (similar to a personal computer) on whose screen the output would be displayed immediately. Since its invention, BASIC has been adopted by almost all computer and microcomputer manufacturers . However, because the manufacturers found the language to be limited, each manufacturer would change it slightly to make use of enhancements particular to various machines . Thus , different versions (called dialects) of BASIC emerged. Such popularity has been at the expense of uniformity. ANSI developed a standard BASIC, however , most microcomputer systems use their own particular implementation of BASIC . This is largely because

microcomputer technology has advanced at a very rapid rate and the language has been changed to take advantage of the capabilities of the hardware. The result is that someone able to program in the BASIC used by one computer system (such as Apple) may be unable to program in the BASIC used by another computer system (such as IBM).

翻译：BASIC语言 BASIC是“初学者通用符号指令代码”（Beginners' All-purpose Symbolic Instruction Code）的字头缩写词，BASIC最早是由约翰·凯莫尼和汤姆斯库茨于60年代初在达特茅斯学院作为一种教学语言而开发的。直到70年代中叶引入微型计算机系统之前，BASIC一直很广泛地被保留用作一种教学语言，BASIC被选作这种系统的高级语言，是因为它比其他高级语言简单并“节省”内存。从70年代后期起，由于微型计算机系统的迅速增长，使得BASIC现在似一乎成为世界上最广泛的计算机语言。分时系统的出现不但提高了工作效率，而且使BASIC一类交互式语言使用起来简单即允许每位用户同时把程序输入计算机终端〔与微机类似〕，而输出则立即显示在各自的屏幕上。BASIC语言自从问世以来，几乎已被所有的计算机和微机制造商所采用。因为制造商们发现只要对这种高级语言做微小的改变即能增加其价值，尤其是针对各种不同的机器。因而，出现了各种不同版本（称为“语支”）的BASIC语言。BASIC如此普及是靠牺牲一致性而得到的。ANSI（美国国家标准协会）推出了标准的BASIC。但是，大多数微机系统对BASIC有自己的特殊的执行过程。这大体上是因为，微型机技术以极快的速度向前发展，语言也发生变化，以便吸取硬件功能的优点，结果是，某人能够用一种计算机系统（如APPLE）所采用的BASIC

来编写程序，但可能不会用另一种计算机系统(IBM)所采用的BASIC来编程。 100Test 下载频道开通，各类考试题目直接下载。详细请访问 [www.100test.com](http://www.100test.com)