

从数据库中读取记录集到层叠式XML PDF转换可能丢失图片或格式，建议阅读原文

https://www.100test.com/kao_ti2020/264/2021_2022__E4_BB_8E_E6_95_B0_E6_8D_AE_E5_c104_264333.htm 从数据库中读取记录集到层叠式XML

注意本系列文件使用环境:Oracle数据和JDOM1.0版本 总计四篇文件中都使用到以下表和数据。

Oracle表结构如下：/*此表中最关键的就是CID和PID两个字段，其它的跟根据需要可以增减字段*/ CREATE TABLE

SCOTT.COMPANY (CID NUMBER(4) NOT NULL, /*记录ID号*/ CNAME VARCHAR2(20) NOT NULL, /*名字*/ DESCPT VARCHAR2(40) NULL, /*描述*/ PID NUMBER(4) NULL /*

父ID号*/). /*向表中插入数据*/ INSERT INTO company(company.cid, company.cname, company.descpt, company.pid)

VALUES(1, acute., acute., 0). INSERT INTO company(company.cid, company.cname, company.descpt, company.pid)

VALUES(2, acute., acute., 1). INSERT INTO company(company.cid, company.cname, company.descpt, company.pid)

VALUES(3, acute., acute., 1). INSERT INTO company(company.cid, company.cname, company.descpt, company.pid)

VALUES(6, acute., acute., 3). INSERT INTO company(company.cid, company.cname, company.descpt, company.pid)

VALUES(7, acute., acute., 5). INSERT INTO company(company.cid, company.cname, company.descpt, company.pid)

VALUES(8, acute., acute., 5). INSERT INTO company(company.cid, company.cname, company.descpt, company.pid)

VALUES(9, acute., acute., 2). INSERT INTO company(

```
company.cid, company.cname, company.descpt, company.pid )
VALUES( 10, acute., acute., 2 ). INSERT INTO company(
company.cid, company.cname, company.descpt, company.pid )
VALUES( 11, acute., acute., 10 ). INSERT INTO company(
company.cid, company.cname, company.descpt, company.pid )
VALUES( 12, acute., acute., 6 ). INSERT INTO company(
company.cid, company.cname, company.descpt, company.pid )
VALUES( 13, acute., acute., 5 ). INSERT INTO company(
company.cid, company.cname, company.descpt, company.pid )
VALUES( 14, acute., acute., 10 ). INSERT INTO company(
company.cid, company.cname, company.descpt, company.pid )
VALUES( 4, acute., acute., 1 ). INSERT INTO company(
company.cid, company.cname, company.descpt, company.pid )
VALUES( 5, acute., acute., 3 ). INSERT INTO company(
company.cid, company.cname, company.descpt, company.pid )
VALUES( 15, acute., acute., 5 ). package jing.xml. /** * Title: 从数
据库中读取记录集到层叠XML文件 * Description: * Copyright:
Copyright (c) 2004 * Company: * @author 欧朝敬 13873195792 *
@version 1.0 */ 100Test 下载频道开通 , 各类考试题目直接下载
。 详细请访问 www.100test.com
```