

Java与.NET的基于WS-Security的We erVICES集成实现（下）

PDF转换可能丢失图片或格式，建议阅读原文

[https://www.100test.com/kao\\_ti2020/267/2021\\_2022\\_Java\\_E4\\_B8\\_8ENE\\_c104\\_267119.htm](https://www.100test.com/kao_ti2020/267/2021_2022_Java_E4_B8_8ENE_c104_267119.htm)

4 . 打开Jbuilder9，新建一个Java类，命名为TestNetService。并将axis-wsse-1.0的jar包添加到Jbuilder的jdk中（Tools->configions jdks->class tab->add）代码如下：

```
package MyWebServiceJavaClient. import Java.util.Date. import
Java.text.DateFormat. import org.apache.axis.MessageContext.
import org.apache.axis.message.*. import org.apache.axis.client.*.
import org.apache.axis.utils.*. import
Javax.XML.namespace.QName. import Java.lang.Integer. import
Javax.XML.rpc.ParameterMode. import
net.vitale.filippo.axis.handlers.WsseClientHandler. /** * Title: *
Description: * Copyright: Copyright (c) 2004 * Company: *
@author not attributable * @version 1.0 */ public class
TestNetService { static String usernameS = null. static String
passwordS = null. public TestNetService() { } public static void
main(String[] args) { try { Integer i = new Integer(2). Integer j = new
Integer(2). String
endpoint="http://localhost/MyServices/WebServiceTest/SumService.
asmx". Service service = new Service(). Call call =
(Call)service.createCall(). call.setTargetEndpointAddress(new
Java.net.URL(endpoint)). call.setOperationName(new
QName("http://www.contoso.com/SU","IntAdd")).
call.addParameter("a",org.apache.axis.encoding.XMLType.XSD_D
ATE,Javax.XML.rpc.ParameterMode.IN).
```

```
call.addParameter("b",org.apache.axis.encoding.XMLType.XSD_D
ATE,Java.xml.rpc.ParameterMode.IN).
call.setReturnType(org.apache.axis.encoding.XMLType.XSD_INT)
. call.setUseSOAPAction(true).
call.setSOAPActionURI("http://www.contoso.com/Rpc"). 100Test
下载频道开通，各类考试题目直接下载。详细请访问
www.100test.com
```