

怎样用DAO给acce 数据库设置密码 PDF转换可能丢失图片或格式，建议阅读原文

[https://www.100test.com/kao\\_ti2020/273/2021\\_2022\\_\\_E6\\_80\\_8E\\_E6\\_A0\\_B7\\_E7\\_94\\_A8D\\_c97\\_273688.htm](https://www.100test.com/kao_ti2020/273/2021_2022__E6_80_8E_E6_A0_B7_E7_94_A8D_c97_273688.htm) 通过CDaoDatabase类的

DAODatabase接口可以设置Access数据库的密码，下面是代码

```
void SetDBPassword( LPCTSTR pDB, LPCTSTR  
pszOldPassword, LPCTSTR pszNewPassword ) { CDaoDatabase  
db. CString strConnect( _T( ".pwd=" ) ). // the database must be  
opened as exclusive // to set a password db.Open( pDB, TRUE,  
FALSE, strConnect pszOldPassword ). COleVariant NewPassword(  
pszNewPassword, VT_BSTR ), OldPassword( pszOldPassword,  
VT_BSTR ). db.m_pDAODatabase->NewPassword( V_BSTR(  
amp.NewPassword ) ). db.Close(). } 100Test 下载频道开通，各类  
考试题目直接下载。详细请访问 www.100test.com
```