

在VFP中调用系统用户及单位名称 PDF转换可能丢失图片或格式，建议阅读原文

https://www.100test.com/kao_ti2020/284/2021_2022__E5_9C_A8VFP_E4_B8_AD_E8_c97_284247.htm LOCAL lcBuffer, .

InBufferSize, . lcRetVal, . InReserved, . InResult, . InError, . InType, . lcKey, . lcUser, . lcCompany #DEFINE ERROR_SUCCESS 0

#DEFINE HKEY_LOCAL_MACHINE -2147483646 #DEFINE KEY_WIN4_MSINFO

"Software\Microsoft\Windows\CurrentVersion" #DEFINE

KEY_QUERY_VALUE 1 *-- 注册表函数 DECLARE Integer

RegOpenKeyEx IN Win32API . Integer nKey, String @cSubKey, Integer nReserved, . Integer nAccessMask, Integer @nResult

DECLARE Integer RegQueryValueEx IN Win32API . Integer nKey, String cValueName, Integer nReserved, . Integer @nType, String @cBuffer, Integer @nBufferSize DECLARE Integer RegCloseKey IN

Win32API . Integer nKey *-- Windows 3.X API 函数 DECLARE INTEGER GetProfileString IN Win32API AS GetProStr . String cSection, String cKey, String cDefault, . String @cBuffer, Integer nBufferSize *-- 初始化DLL调用变量 STORE 0 TO InReserved, InResult, InType lcBuffer = SPACE(128) InBufferSize =

LEN(lcBuffer) STORE "" TO lcUser, lcCompany DO CASE CASE UPPER(OS()) = "WINDOWS NT" *-- 系统为Windows NT InError =RegOpenKeyEx(HKEY_LOCAL_MACHINE,

KEY_SHARED_TOOLS_LOCATION, . InReserved, KEY_QUERY_VALUE, @InResult) IF InError =

ERROR_SUCCESS InType = 0 lcBuffer = SPACE(128) InBufferSize

ERROR_SUCCESS InType = 0 lcBuffer = SPACE(128) InBufferSize

ERROR_SUCCESS InType = 0 lcBuffer = SPACE(128) InBufferSize

```

= LEN(lcBuffer) InError = RegQueryValueEx(InResult,
"RegisteredOwner", InReserved, . @InType, @lcBuffer,
@InBufferSize) IF InError = ERROR_SUCCESS AND lcBuffer
CHR(0) lcUser = LEFT(lcBuffer, InBufferSize - 1) ENDIF InType =
0 lcBuffer = SPACE(128) InBufferSize = LEN(lcBuffer) InError =
RegQueryValueEx(InResult, "RegisteredOrganization", InReserved, .
@InType, @lcBuffer, @InBufferSize) IF InError =
ERROR_SUCCESS AND lcBuffer CHR(0) lcCompany =
LEFT(lcBuffer, InBufferSize - 1) ENDIF ENDIF
=RegCloseKey(InResult) CASE UPPER(OS()) = "WINDOWS 4"
*-- 系统为Windows 95 以上版本 InError =
RegOpenKeyEx(HKEY_LOCAL_MACHINE,
KEY_WIN4_MSINFO, . InReserved, KEY_QUERY_VALUE,
@InResult) IF InError = ERROR_SUCCESS InType = 0 lcBuffer =
SPACE(128) InBufferSize = LEN(lcBuffer) InError =
RegQueryValueEx(InResult, "RegisteredOwner", InReserved, .
@InType, @lcBuffer, @InBufferSize) IF InError =
ERROR_SUCCESS AND lcBuffer CHR(0) lcUser = LEFT(lcBuffer,
InBufferSize - 1) ENDIF InType = 0 lcBuffer = SPACE(128)
InBufferSize = LEN(lcBuffer) InError = RegQueryValueEx(InResult,
"RegisteredOrganization", InReserved, . @InType, @lcBuffer,
@InBufferSize) IF InError = ERROR_SUCCESS AND lcBuffer
CHR(0) lcCompany = LEFT(lcBuffer, InBufferSize - 1) ENDIF
ENDIF =RegCloseKey(InResult) OTHERWISE *-- 系统
为Windows 3.X 版本 lcRetVal = GetProStr("MS USER INFO",
"DEFNAME", "", @lcBuffer, InBufferSize) lcUser = LEFT(lcBuffer,

```

```
IcRetVal) IcRetVal = GetProStr("MS USER INFO",  
"DEFCOMPANY", "", @IcBuffer, InBufferSize) IcCompany =  
LEFT(IcBuffer, IcRetVal) ENDCASE If InError =  
ERROR_SUCCESS =MessageBox("用户：" IcUser Chr(13) "单位  
：" IcCompany) Else =MessageBox("未找到用户及单位。") Endif  
100Test 下载频道开通，各类考试题目直接下载。详细请访问  
www.100test.com
```