

oracle快速删除和快速插入的方法代码 PDF转换可能丢失图片或格式，建议阅读原文

https://www.100test.com/kao_ti2020/472/2021_2022_oracle_E5_BF_AB_E9_c67_472309.htm 快速插入

```
SQL> insert /**/* append*/
into t0select * from dba_objects nologging. 9157 rows created.
```

```
SQL> 0select
```

```
a.xidusn,a.xidslot,a.used_ublk,a.used_urec,b.username 2 from
v$transaction a,v$session b,v$mystat c 3 where a.addr = b.taddr and
c.statistic# = 1 4 / XIDUSN XIDSLOT USED_UBLK USED_UREC
USERNAME -----
```

```
----- 2 21 1 1 CUST SQL> commit.
```

```
Commit complete. SQL> insert into t0select * from dba_objects.
9157 rows created. SQL> 0select
```

```
a.xidusn,a.xidslot,a.used_ublk,a.used_urec,b.username 2 from
v$transaction a,v$session b,v$mystat c 3 where a.addr = b.taddr and
c.statistic# = 1 4 / XIDUSN XIDSLOT USED_UBLK USED_UREC
USERNAME -----
```

```
----- 1 1 13 423 CUST 快速删除 建个存储
```

过程,达到2000条或者更多条,提交一次. create or replace

```
procedure p_0delete as n number(10). cursor my_cur is 0select *
from t1. begin n:=0. for i in my_cur loop 0delete from t1 where .
n:=n 1. if (mod(n,2000))=0 then commit. end if. end loop. end. /
```

100Test 下载频道开通，各类考试题目直接下载。详细请访问
www.100test.com