

基础知识:JAVA中实现获得本机IP和名称的代码Java认证考试

PDF转换可能丢失图片或格式，建议阅读原文

https://www.100test.com/kao_ti2020/564/2021_2022__E5_9F_BA_

```
E7_A1_80_E7_9F_A5_E8_c104_564770.htm //iplabel.javaimport
java.net.*.import java.awt.*.import javax.swing.*. public class
iplabel{JFrame frame.JLabel label1,label2.JPanel panel.String
ip,address. public void getip(){try{InetAddress addr =
InetAddress.getLocalHost().ip=addr.getHostAddress().toString.//
获得本机IPaddress=addr.getHostName()toString.//获得本机名称
//System.out.println("addr="
String.valueOf(addr)).}catch(Exception e){System.out.println("Bad
IP Address!" e).} } public void showframe(){frame=new JFrame("my
ip").label1=new JLabel("this my ip").label1.setText(ip).label2=new
JLabel("this my address").label2.setText(address).panel=new
JPanel().panel.add(label1).panel.add(label2).frame.getContentPane
().add(panel). frame.setSize(400,300).frame.setVisible(true).} public
static void main(String agrs[]){iplabel myip=new
iplabel().myip.getip().myip.showframe(). }} 100Test 下载频道开通
，各类考试题目直接下载。详细请访问 www.100test.com
```