

国际认证RHCE（红帽认证）：RHCE的试题Linux认证考试  
PDF转换可能丢失图片或格式，建议阅读原文

[https://www.100test.com/kao\\_ti2020/566/2021\\_2022\\_\\_E5\\_9B\\_BD\\_E9\\_99\\_85\\_E8\\_AE\\_A4\\_E8\\_c103\\_566685.htm](https://www.100test.com/kao_ti2020/566/2021_2022__E5_9B_BD_E9_99_85_E8_AE_A4_E8_c103_566685.htm) 1. If you want to allow

X-Windows programs from hostB to run on the display on hostA what would you need to do? A. run xhost hostB on hostA. B. run xhost hostA on hostB. C. run xhost on hostA. D. run xhost on hostB. E. just set the DISPLAY environment variable and it will work. You answered this question incorrectly Explanation: You want programs from hostB to display on hostA. So you must tell hostA to allow Xclients from hostB. Hence A is correct. The xhost command is too broad and allows anyone to connect to your X-server. 2. What command can you enter to find out which rpm contains the /etc/foo file? A. rpm -qa |grep foo B. rpm -ql /etc/foo C. rpm -qlf /etc/foo D. rpm -q -f /etc/foo E. man foo You answered this question incorrectly Explanation: You can find out which rpm a file belongs to by using the rpm -q -f command. You must have the redhatrpmdb rpm installed though. 3. You have a Linux machine that does not have X-Windows configured. What command can you use to find out what kind of graphics card it has? A. Xfind B. SuperProbe C. Xsetup D. cat /proc/video E. videocfg You answered this question incorrectly Explanation: The SuperProbe program is used to find information about your graphics card. 4. Which installation class will automatically delete all of your DOS partitions? A. Custom B. Workstation C. Laptop D. Server E. All of the above You answered this question incorrectly Explanation: The Server installation class

will automatically delete all DOS partitions. The workstation class will use available free space. The laptop class is very similar to the workstation class (but for laptops.)

5. How do you install an RPM?  
A. `rpm -evh packagename.rpm` B. `rpm -ivh packagename.rpm` C. `rpm -q packagename.rpm` D. `rpm -qa *.rpm` E. `rpm -ql *.rpm`  
You answered this question incorrectly  
Explanation: A is wrong because the `-e` option is for uninstalling. B is right. C D and E are wrong because the `-q` option is for querying.

6. What program can be used to test the `smb.conf` file for errors?  
A. `mount` B. `test` C. `samba --checkparm` D. `testparm` E. `smbfs`  
You answered this question incorrectly  
Explanation: the `testparm` program parses the `smb.conf` file and reports any errors. If you make a typo this program is likely to find it.

7. What command do you use to edit the default grace period for quotas?  
A. `quotaconfig -g` B. `editquota -g` C. `quotaconfig -t` D. `edquota -t` E. `quotaeditor --grace`  
You answered this question incorrectly  
Explanation: You use the `edquota` command to edit quotas. For example you can say `edquota -u username` to edit a specific user's quota. Or you can type `edquota -g` to set a quota for a group. You can say `edquota -t` to set up grace periods.

8. What is the correct syntax to mount an MS DOS formatted floppy disk (do not assume that there is an entry in `/etc/fstab`)?  
A. `mount /dev/floppy /mnt/fd0` B. `mount -t iso9660 /dev/fd0 /mnt/floppy` C. `mount -t vfat /dev/fd0 /mnt/floppy` D. `mount -t msdos /dev/floppy /mnt/floppy` E. `mdir`  
You answered this question incorrectly  
Explanation: A will only work if there is an entry in `/etc/fstab`. B is wrong because `iso9660` is for CDROM's. C is correct. D is wrong because the device

should be /dev/fd0 rather than /dev/floppy. 9. You have created a /home/projectfoo directory. How can you change its group ownership to the projectfoo group? A. `chmod g rwx projectfoo /home/projectfoo` B. `chown projectfoo /home/projectfoo` C. `chgrp projectfoo /home/projectfoo` D. `newgrp projectfoo /home/projectfoo` E. `chown projectfoo.users /home/projectfoo` You answered this question incorrectly Explanation: The `chgrp` command sets the group ownership of a file or directory. 10. You have installed a DHCP server on your Linux machine and edited the configuration file. What else must you do before it will give out ip addresses? A. reboot B. Put fixed-addresses in the configuration for each client. C. `service dhcp begin` D. `touch /var/lib/dhcp/dhcpd.leases` E. All of the above You answered this question incorrectly Explanation: You must touch the /var/lib/dhcp/dhcpd.leases file in order to get DHCP to begin giving out ip addresses. 100Test 下载频道开通，各类考试题目直接下载。详细请访问 [www.100test.com](http://www.100test.com)