

oracle删除指定用户所有表Oracle认证考试 PDF转换可能丢失
图片或格式，建议阅读原文

https://www.100test.com/kao_ti2020/645/2021_2022_oracle_E5_88_A0_E9_c102_645102.htm "gklt"> 1、

0select Drop table ||table_name||. from all_tables where owner=要删除的用户名（注意要大写）。2、删除所有表以用户test为例 for example: declare

cursor cur1 is 0select table_name from dba_tables where

owner=TEST. begin for cur2 in cur1 loop execute immediate 0drop table test.||cur2.table_name. end loop. end. 3、这个删除当前用户

的所有对象(表、视图、触发器、存储过程、函数) DECLARE

TYPE name_list IS TABLE OF VARCHAR2(40). TYPE type_list IS TABLE OF VARCHAR2(20). Tab_name name_list:=name_list().

Tab_type type_list:=type_list(). sql_str VARCHAR2(500). BEGIN

sql_str := 0select uo.object_name,uo.object_type from user_objects uo where uo.object_type not in(INDEX,LOB) order by

uo.object_type desc. EXECUTE IMMEDIATE sql_str BULK

COLLECT INTO tab_name,tab_type. FOR i IN Tab_name.FIRST..

Tab_name.LAST LOOP sql_str := DROP || Tab_type(i) || ||

Tab_name(i). EXECUTE IMMEDIATE sql_str. END LOOP. END.

编辑特别推荐: oracle认证考试费用 查看修改ORACLE10G归档

日志空间的限制 100Test 下载频道开通，各类考试题目直接下

载。详细请访问 www.100test.com