

Oracle的STRUCT和VARRAY的读写方法Oracle认证考试 PDF  
转换可能丢失图片或格式，建议阅读原文

[https://www.100test.com/kao\\_ti2020/645/2021\\_2022\\_Oracle\\_E7\\_9A\\_84S\\_c102\\_645292.htm](https://www.100test.com/kao_ti2020/645/2021_2022_Oracle_E7_9A_84S_c102_645292.htm) 本文给出了读写Oracle的特殊数据类型STRUCT和VARRAY的操作方法。首先，创建类型

```
CREATE TYPE Struct_Test AS OBJECT(s VARCHAR(30), i  
NUMBER). CREATE TYPE number_varray AS VARRAY(10) OF  
NUMBER(12, 2). 然后，创建表 CREATE TABLE test(i  
NUMBER, obj Struct_Test). REATE TABLE
```

```
VARRAY_TABLE(col_number_array number_varray) 然后，插  
入数据 //插入STRUCT数据 Object[] values = new Object[]{ " str  
", new BigDecimal(123)}. oracle.sql.StructDescriptor structDesc =  
oracle.sql.StructDescriptor.createDescriptor( " Struct_Test ", cn).  
oracle.sql.STRUCT oracleStruct = new  
oracle.sql.STRUCT(structDesc, cn, values). // Create a prepared  
statement for insertion into test PreparedStatement ps =  
connection.prepareStatement( " INSERT INTO test VALUES(?,?)  
" ). // Set the values to insert ps.setInt(1, 123). ps.setObject(2,  
oracleStruct). // Insert the new row ps.execute(). //插入VARRAY数  
据 // Create an oracle.sql.ARRAY object to hold the values 100Test  
下载频道开通，各类考试题目直接下载。详细请访问  
www.100test.com
```