

怎样在自己的进销存里导入速达、管家婆和用友的数据计算机等级考试 PDF 转换可能丢失图片或格式，建议阅读原文  
[https://www.100test.com/kao\\_ti2020/645/2021\\_2022\\_\\_E6\\_80\\_8E\\_E6\\_A0\\_B7\\_E5\\_9C\\_A8\\_E8\\_c97\\_645039.htm](https://www.100test.com/kao_ti2020/645/2021_2022__E6_80_8E_E6_A0_B7_E5_9C_A8_E8_c97_645039.htm) unit UpdateSD3000.  
interface uses Windows, Messages, SysUtils, Variants, Classes, Graphics, Controls, Forms, Dialogs, EditForm, KsControls, KsLabels, KsSkinLabels, dxEditor, dxExEdtr, dxEdLib, dxCntner, KsButtons, KsSkinButtons, KsTabs, KsSkinTabs, KsHooks, KsForms, KsSkinForms, KsEdits, KsComboBoxs, KsSkinComboBoxs, DB, IBDatabase, Registry, SysPublic, IBCustomDataSet, Grids, DBGrids, ADODB. type  
TfrmUpdateSD3000 = class(TfrmEditForm) PageControl: TSeSkinPageControl. TabSD3000: TKsCustomTabSheet. KsCustomTabSheet2: TKsCustomTabSheet. bbOk: TSeSkinButton. bbNo: TSeSkinButton. OpenDlg: TOpenDialog. edtSDData: TdxButtonEdit. SeSkinLabel1: TSeSkinLabel. SeSkinLabel2: TSeSkinLabel. SeSkinLabel3: TSeSkinLabel. SeSkinLabel4: TSeSkinLabel. SeSkinLabel5: TSeSkinLabel. edtServeName: TdxEdit. SeSkinLabel6: TSeSkinLabel. SeSkinLabel7: TSeSkinLabel. edtLoginName: TdxEdit. SeSkinLabel8: TSeSkinLabel. edtLoginPass: TdxEdit. bbLinkServer: TSeSkinButton. SeSkinLabel9: TSeSkinLabel. SeSkinLabel10: TSeSkinLabel. SeSkinLabel11: TSeSkinLabel. IBDatabase1: TIBDatabase. IBTransaction1: TIBTransaction. IBDataSet1: TIBDataSet. AdoDataSet: TADODataset. KsCustomTabSheet3: TKsCustomTabSheet. SeSkinLabel15: TSeSkinLabel. edtYYData: TdxButtonEdit.

SeSkinLabel12: TSeSkinLabel. SeSkinLabel13: TSeSkinLabel.  
SeSkinLabel14: TSeSkinLabel. SeSkinLabel16: TSeSkinLabel.  
SQLADOConnet: TADOConnection. SQLDataSet: TADODataSet.  
cbxSQLDB: TdxPickEdit. procedure  
edtSDDataButtonClick(Sender: TObject. AbsoluteIndex: Integer).  
procedure bbNoClick(Sender: TObject). procedure  
bbOkClick(Sender: TObject). procedure  
edtYYDataButtonClick(Sender: TObject. AbsoluteIndex: Integer).  
procedure bbLinkServerClick(Sender: TObject). private { Private  
declarations } bReturn: Boolean. function GetSD3000Path: string. //  
得到速达的安装目录 function GetUFERPPath: string. //得到用友的  
安装目录 function ConectGrasp(sData: string): Boolean.  
function ConectSD3000(sDBPath: string): Boolean. function  
OpenIBDataSet(sDBName: string): Boolean. procedure  
InputGrasp(sSql1, sSql2, sField1, sField2, sConst: string). procedure  
InputSD3000(sSql1, sSql2, sField1, sField2, sConst: string).  
procedure InputAllSD3000Data. //全部速达数据 procedure  
InputAllGraspData. //全部管家婆数据 procedure  
InputAllUfSoft80Data. //全部用友数据 procedure MainShow.  
procedure LoadData. public { Public declarations } end. function  
UpdateSD3000Show: Boolean. implementation uses DBData. {\$R  
\*.dfm} function UpdateSD3000Show: Boolean. var  
frmUpdateSD3000: TfrmUpdateSD3000. begin frmUpdateSD3000  
:= TfrmUpdateSD3000.Create(Application). with  
frmUpdateSD3000 do begin MainShow. Result := bReturn. Free.  
end. end. procedure TfrmUpdateSD3000.MainShow. begin

LoadData. ShowModal. end. function

TfrmUpdateSD3000.GetSD3000Path: string. var Reg: TRegistry.

100Test 下载频道开通，各类考试题目直接下载。详细请访问  
[www.100test.com](http://www.100test.com)