

一个新算法的表达式求值的函数计算机等级考试 PDF转换可能丢失图片或格式，建议阅读原文

https://www.100test.com/kao_ti2020/645/2021_2022__E4_B8_80_E4_B8_AA_E6_96_B0_E7_c97_645053.htm interface uses Windows,

Messages, SysUtils, Variants, Classes, Graphics, Controls, Forms, Dialogs, StdCtrls, StrUtils, Spin. type TForm1 = class(TForm) Edit1: TEdit. Edit2: TEdit. Button1: TButton. Button2: TButton. SpinEdit1: TSpinEdit. procedure Button1Click(Sender: TObject). procedure Button2Click(Sender: TObject). private { Private declarations } public { Public declarations } end. var Form1: TForm1.

implementation {\$R *.dfm} function nospace(s:string):string. begin result:= stringreplace(s, \ \, \ \, [rfReplaceAll]). end. function

is123(c:char):boolean. begin if c in [\0\..\9\,\.\] then result:=true else

result:=false. end. function isminus(s:string.i:integer):boolean . var

t:integer. begin for t:=i-1 downto 1 do begin if s[t]=\)\ then begin

result:=false. break. end. if (s[t]=\(\) and (s[t 1]=\-\) then begin

result:=true. break. end. if (not is123(s[t])) and (not ((s[t]=\-\)

and(s[t-1]=\(\))) then begin result:=false. break. end. end. end.

function firstJ(s:string):integer . var i,L:integer. begin result:=0.

L:=length(s). for i:=1 to L do begin if (s[i]=\)\) and (not

isminus(s,i)) then begin result:=i. break. end. end. end. 100Test 下载

频道开通，各类考试题目直接下载。详细请访问

www.100test.com